

2012 年

【原著論文】

1. Abe T, Komada Y, Inoue Y. Short Sleep Duration, Snoring and Subjective Sleep Insufficiency Are Independent Factors Associated with both Falling Asleep and Feeling Sleepiness while Driving. *Intern Med* 51(23), 3253-60, 2012.
2. Uchimura N, Kamijo A, Kuwahara H, Uchiyama M, Shimizu T, Chiba S, Inoue Y. A randomized placebo-controlled polysomnographic study of eszopiclone in Japanese patients with primary insomnia. *Sleep Med* 13(10), 1247-1253, 2012.
3. Tsuiki S, Isono S, Minamino O, Maeda K, Kobayashi M, Sasai T, Takahashi Y, Inoue Y. Tongue position controller as an alternative treatment for obstructive sleep apnea. *Sleep Breath* 16(4), 957-960, 2012.
4. Komada Y, Nomura T, Kusumi M, Nakashima K, Okajima I, Sasai T, Inoue Y. A two-year follow-up study on the symptoms of sleep disturbances/insomnia and their effects on daytime functioning. *Sleep Med* 13(9), 1115-1121, 2012.
5. Takaesu Y, Komada Y, Inoue Y. Melatonin profile and its relation to circadian rhythm sleep disorders in Angelman syndrome patients. *Sleep Med* 13(9), 1164-1170, 2012.
6. Usui Y, Takata Y, Inoue Y, Shimada K, Tomiyama H, Nishihata Y, Kato K, Shiina K, Yamashina A. Coexistence of obstructive sleep apnoea and metabolic syndrome is independently associated with left ventricular hypertrophy and diastolic dysfunction. *Sleep Breath* 16(3), 677-684, 2012.
7. Tsuiki S, Shiga T, Maeda K, Matsuzaki-Stromberger R, Inoue Y. A dentist's role: prevention of snoring at temporary refuges for victims of the East Japan earthquake and the Fukushima Daiichi Nuclear Power Plant accident on March 11, 2011. *Sleep Breath* 16(3), 587-589, 2012.
8. Sasai T, Matsuura M, Wing YK, Inoue Y. Validation of the Japanese version of the REM sleep behavior disorder questionnaire (RBDQ-JP). *Sleep Med* 13(7), 913-918, 2012.
9. Sakuta K, Komada Y, Kagimura T, Okajima I, Nakamura M, Inoue Y. Factors associated with severity of daytime sleepiness and indications for initiating treatment in patients with periodic limb movements during sleep *Sleep Biol Rhythms* 10(3), 187-194, 2012.

10. Aritake-Okada S, Namba K, Hidano N, Asaoka S, Komada Y, Usui A, Matsuura M, Inoue Y. Change in frequency of periodic limb movements during sleep with usage of continuous positive airway pressure in obstructive sleep apnea syndrome. *J Neurol Sci* 317(1-2), 13-16, 2012.
11. Sasai T, Inoue Y, Matsuura M. Do patients with rapid eye movement sleep behavior disorder have a disease-specific personality? *Parkinsonism Relat Disord* 18(5), 616-618, 2012.
12. Asaoka S, Fukuda K, Murphy TI, Abe T, Inoue Y. The effects of a nighttime nap on the error-monitoring functions during extended wakefulness. *Sleep* 35(6), 871-878, 2012.
13. Frauscher B, Nomura T, Duerr S, Ehrmann L, Gschliesser V, Wenning GK, Wolf E, Inoue Y, Högl B, Poewe W. Investigation of autonomic function in idiopathic REM sleep behavior disorder. *J Neurol* 259(6), 1056-1061, 2012.
14. Nomura T, Inoue Y, Takigawa H, Nakashima K. Comparison of REM sleep behaviour disorder variables between patients with progressive supranuclear palsy and those with Parkinson's disease. *Parkinsonism Relat Disord* 18(4), 394-396, 2012.
15. Sakuta K, Nakamura M, Komada Y, Yamada S, Kawana F, Kanbayashi T, Inoue Y. Possible mechanism of secondary narcolepsy with a long sleep time following surgery for craniopharyngioma *Intern Med* 51(4), 413-417, 2012.
16. Asaoka S, Abe T, Komada Y, Inoue Y. The factors associated with preferences for napping and drinking coffee as countermeasures for sleepiness at the wheel among Japanese drivers. *Sleep Med* 13(4), 354-361, 2012.
17. Inoue Y, Uchimura N, Kuroda K, Hirata K, Hattori N. Long-term efficacy and safety of gabapentin enacarbil in Japanese restless legs syndrome patients. *Prog Neuropsychopharmacol Biol Psychiatry* 36(2), 251-257, 2012.
18. Sasai T, Miyamoto T, Miyamoto M, Iwanami M, Abe T, Matsuura M, Inoue Y. Impaired decision-making in idiopathic REM sleep behavior disorder. *Sleep Med* 13(3), 301-306, 2012.
19. Okajima I, Komada Y, Nomura T, Nakashima K, Inoue Y. Insomnia as a risk for depression: a longitudinal epidemiologic study on a Japanese rural cohort. *J Clin Psychiatry* 73(3), 377-383, 2012.

20. Sasai T, Inoue Y, Matsuura M. Effectiveness of pramipexole on rapid eye movement sleep behavior disorder *Tohoku J Exp Med* 226(3), 177-181, 2012.
21. Takaesu Y, Inoue Y, Komada Y, Kagimura T, Iimori M. Effects of nasal continuous positive airway pressure on panic disorder comorbid with obstructive sleep apnea syndrome. *Sleep Med* 13(2), 156-160, 2012.
22. Hanyu H, Inoue Y, Sakurai H, Kanetaka H, Nakamura M, Miyamoto T, Sasai T, Iwamoto T. Voxel-based magnetic resonance imaging study of structural brain changes in patients with idiopathic REM sleep behavior disorder. *Parkinsonism Relat Disord* 18(2), 136-139, 2012.
23. Maeda K, Tsuiki S, Isono S, Namba K, Kobayashi M, Inoue Y. Difference in dental arch size between obese and non-obese patients with obstructive sleep apnoea. *J Oral Rehabil* 39(2), 111-117, 2012.
24. Ozaki A, Inoue Y, Hayashida K, Nakajima T, Honda M, Usui A, Komada Y, Kobayashi M, Takahashi K. Quality of life in patients with narcolepsy with cataplexy, narcolepsy without cataplexy, and idiopathic hypersomnia without long sleep time: comparison between patients on psychostimulants, drug-naive patients and the general Japanese population. *Sleep Med* 13(2), 200-206, 2012.
25. Komada Y, Asaoka S, Abe T, Matsuura N, Kagimura T, Shirakawa S, Inoue Y. Relationship between napping pattern and nocturnal sleep among Japanese nursery school children. *Sleep Med* 13(1), 107-110, 2012.
26. Takei Y, Komada Y, Namba K, Sasai T, Nakamura M, Sugiura T, Hayashida K, Inoue Y. Differences in findings of nocturnal polysomnography and multiple sleep latency test between narcolepsy and idiopathic hypersomnia. *Clin Neurophysiol* 123(1), 137-141, 2012.
27. Abe T, Inoue Y, Komada Y, Hori T. Effect of post-learning sleep versus wakefulness on advantageous decision-making: A preliminary study. *Sleep Biol Rhythms* 10(1), 72-74, 2012.

#### 【総説】

1. 前田恵子, 對木 悟, 井上雄一: 閉塞型睡眠時無呼吸症候群(OSAS)のフォローアップと副作用&まとめ. *ザ・クインテッセンス* 31(11),96-99,2012.
2. 井上雄一: 睡眠障害センターの現場基幹病院の立場から. *日本精神科病院協会雑誌* 31(11), 25-30,2012.

3. 碓氷 章, 井上雄一: エスゾピクロン. 日本病院薬剤師会雑誌 48(11), 1397-1401, 2012.
4. 井上雄一: 現代型不眠を考える. 実験治療 707, 153-159, 2012.
5. 松井健太郎, 西田慎吾, 井上雄一: 生活習慣の改善. 調剤と情報 18(11), 1617-1623, 2012.
6. 井上雄一: 高齢者における睡眠障害. 日本老年医学会雑誌 49(5), 541-546, 2012.
7. 駒田陽子, 井上雄一: 母と子の睡眠問題. 睡眠医療 6(3), 439-444, 2012.
8. 笹井妙子, 井上雄一: REM 睡眠行動障害の PSG 記録と判定のピットフォール. 睡眠医療 6(3), 497-502, 2012.
9. 井上雄一, 陳 和夫, 百村伸一: 全身性疾患としての睡眠呼吸障害の最新動向. 呼吸器 News & Views 40, 13-19, 2012.
10. 西田慎吾, 駒田陽子, 井上雄一: 睡眠関連摂食障害(SRED)の病態把握と治療. 精神科治療学 27(9), 1203-1210, 2012.
11. 岡島 義: うつ病に対する不眠のリスク:地域住民を対象とした縦断調査. Psycho abstract 196, 23, 2012.
12. 福田竜弥, 對木 悟, 小林美奈, 井上雄一: OSAS 患者を医科へ紹介する. ザ・クインテッセンス 31(8), 106-109, 2012.
13. 井上雄一: 新規レストレスレッグス症候群治療剤「レグナイト錠」の登場と期待. Astellas Square 8(4), 8-10, 2012.
14. 井上雄一: 不眠症. クレデンシャル 47, 16-23, 2012.
15. 對木 悟, 前田恵子, 井上雄一: なぜいびきや無呼吸は生じるのか? その理由と症状. ザ・クインテッセンス 367, 96-99, 2012.
16. 高江洲義和, 井上雄一: 生活習慣病患者の不眠症治療. 日本臨床 70(7), 1216-1221, 2012.
17. 井上雄一, 岡 靖哲: レストレスレッグス症候群に関する最近の知見と治療戦略. ビ・シフロール錠説明資料 8-11, 2012.
18. 井上雄一: 睡眠時無呼吸症候群とうつ病の関係は? その際, 治療はどのように? 睡眠医療 6(2), 269-272, 2012.
19. 植木洋一郎, 井上雄一: 睡眠相後退症候群. 臨床と研究 89(6), 737-741, 2012.
20. 古舘直典, 井上雄一: 不眠症. ファインケミカル 41(7), 33-38, 2012.
21. 井上雄一: 一般医に知っていてほしい睡眠障害の診断と治療法について. 診療研究 4785-16, 2012.
22. 中村真樹, 井上雄一: むずむず脚(下肢静止不能)症候群. 内科 109(6), 968-971, 2012.

23. 井上雄一: 高齢者不眠治療と eszopiclone. 老年医学 50(5), 633-640, 2012.
24. 清水徹男, 井上雄一, 内村直尚, 平田幸一: 本邦におけるレストレスレッグス症候群の実態と新たな治療 —新規治療薬 gabapentin enacarbil への期待—. 臨床精神薬理 15(4), 525-533, 2012.
25. 井上雄一: Gabapentin enacarbil による restless legs syndrome 治療. 臨床精神薬理 15(4), 517-524, 2012.
26. 中村真樹, 井上雄一: レストレスレッグス症候群の現状と治療. 臨床精神薬理 15(4), 451-460, 2012.
27. 井上雄一: 巻頭言. 睡眠医療 6(増), 113-114, 2012.
28. 井上雄一: 高齢者不眠への eszopiclone 治療のあり方. 睡眠医療 6(増), 165-171, 2012.
29. 伊藤永喜, 井上雄一: 睡眠時無呼吸の生体に与える影響の差異—性差・年齢についての最近の話題—. 睡眠医療 6(1), 53-61, 2012.
30. 大河原陽子, 對木 悟, 前田恵子, 井上雄一: 体位依存性の睡眠時のいびき, 呼吸停止に対する治療法は. 睡眠医療 6(1), 94-95, 2012.
31. 中村真樹, 井上雄一: 睡眠障害の診察法と検査. Mebio 29(3), 36-45, 2012.
32. 中村真樹, 井上雄一: 睡眠時無呼吸治療の実際. メディカル朝日 41(3), 22-24, 2012.
33. 駒田陽子, 井上雄一: 幼児の夜更かしの悪影響. 睡眠医療 5(4), 390-94, 2012.
34. 浅岡章一, 福田一彦, 井上雄一: 大学生の眠りを決めているもの. 睡眠医療 5(4), 405-409, 2012.
35. 挟間玄以, 井上雄一: 不登校と睡眠. 睡眠医療 5(4), 416-420, 2012.
36. 井上雄一: 原発性不眠症. クリニシアン 59(606), 30-40, 2012.
37. 中村真樹, 井上雄一: 睡眠センターでの問診, 検査, 鑑別診断. 神経治療学 29(1), 97-102, 2012.

#### 【著書】

1. 井上雄一: 中枢性過眠症候群とは. 脳とこころのプライマリケア 5 意識と睡眠 635-641, シナジー 2012.
2. 駒田陽子, 井上雄一: 睡眠関連摂食障害. 脳とこころのプライマリケア 5. 意識と睡眠 744-749, シナジー 2012.
3. 高江洲義和, 井上雄一: 睡眠障害. 脳化学事典(<http://bsd.neuroinfo.jp/wiki>) 睡眠障害, 2012.

4. Asaoka S, Inoue Y. Sleep pattern and its determining factors in university students:the evolution, function, nature, and mysteries of slumber. Encyclopedia of sleep and dreams 694-696, Greenwood Publishers, 2012.
5. 林田健一, 井上雄一: 用量の決め方と切り替え方. 睡眠薬プラクティカルガイド 85-91, 中外医学社 2012.
6. 井上雄一: いびき・歯ぎしりがひどいといわれます. 睡眠障害の対応と治療ガイドライン第2版 44-45, じほう 2012.
7. 井上雄一: 薬原性不眠. 睡眠障害の対応と治療ガイドライン第2版, 165-168, じほう 2012.
8. 井上雄一: レストレスレッグス症候群. 睡眠障害の対応と治療ガイドライン第2版 223-227, じほう 2012.
9. 井上雄一: 周期性四肢運動障害. 睡眠障害の対応と治療ガイドライン第2版 227-230, じほう 2012.
10. 井上雄一: 心的外傷後ストレス障害での不眠. 睡眠障害の対応と治療ガイドライン第2版 238-239, じほう 2012.
11. 井上雄一: パニック障害の睡眠障害. 睡眠障害の対応と治療ガイドライン第2版 239-242, じほう 2012.
12. 井上雄一: レストレスレッグス症候群. 睡眠障害の対応と治療ガイドライン第2版 239-242, じほう 2012.
13. 井上雄一: レストレスレッグス症候群の重症度スケール. 睡眠障害の対応と治療ガイドライン第2版 257-259, じほう 2012.
14. 井上雄一: 2012年に臨床導入される新薬ガバペンチンエナカルビルについて. こころの治療薬ハンドブック第8版 星和書店 257-258, 2012.
15. 岡島 義, 井上雄一: 認知行動療法で改善する不眠症 すばる舎 2012.
16. 井上雄一: 睡眠の異常. 今日の精神疾患治療指針 12-18, 医学書院 2012.