

2013 年

【原著論文】

1. Okajima I, Nakamura M, Nishida S, Usui A, Hayashida K, Kanno M, Nakajima S, Inoue Y. Cognitive behavioural therapy with behavioural analysis for pharmacological treatment-resistant chronic insomnia. *Psychiatry Res* 210(2), 515-521, 2013.
2. Sasai T, Matsuura M, Inoue Y. Electroencephalographic findings related with mild cognitive impairment in idiopathic rapid eye movement sleep behavior disorder. *Sleep* 36(12), 1893-1899, 2013.
3. Nakamura M, Nishida S, Hayashida K, Ueki Y, Dauvilliers Y, Inoue Y. Differences in brain morphological findings between narcolepsy with and without cataplexy. *PLoS One* 8(11), e81059, 2013.
4. Inoue Y, Shimizu T, Hirata K, Uchimura N, Ishigooka J, Oka Y, Ikeda J, Tomida T, Hattori N; Rotigotine Trial Group. Efficacy and safety of rotigotine in Japanese patients with restless legs syndrome: a phase 3, multicenter, randomized, placebo-controlled, double-blind, parallel-group study. *Sleep Med* 14(11), 1085-1091, 2013.
5. Sasai T, Matsuura M, Inoue Y. Change in heart rate variability precedes the occurrence of periodic leg movements during sleep: an observational study. *BMC Neurol* 13, 139-146, 2013.
6. Okajima I, Nakajima S, Kobayashi M, Inoue Y. Development and validation of the Japanese version of the Athens Insomnia Scale. *Psychiatry Clin Neurosci* 67(6), 420-425, 2013.
7. Inoue Y, Oka Y, Kagimura T, Kuroda K, Hirata K. Reliability, validity, and responsiveness of the Japanese version of International Restless Legs Syndrome Study Group rating scale for restless legs syndrome in a clinical trial setting. *Psychiatry Clin Neurosci* 67(6), 412-419, 2013.
8. Inoue Y, Takasaki Y, Yamashiro Y. Efficacy and safety of adjunctive modafinil treatment on residual excessive daytime sleepiness among nasal continuous positive airway pressure-treated Japanese patients with obstructive sleep apnea syndrome: a double-blind placebo-controlled study. *J Clin Sleep Med* 9(8), 751-757, 2013.
9. Tsuiki S, Ito E, Isono S, Ryan CF, Komada Y, Matsuura M, Inoue Y. Oropharyngeal crowding and obesity as predictors of oral appliance

treatment response to moderate obstructive sleep apnea. *Chest* 144(2), 558-563, 2013.

10. Schenck CH, Montplaisir JY, Frauscher B, Hogl B, Gagnon JF, Postuma R, Sonka K, Jennum P, Partinen M, Arnulf I, Cochen de Cock V, Dauvilliers Y, Luppi PH, Heidebreder A, Mayer G, Sixel-Döring F, Trenkwalder C, Unger M, Young P, Wing YK, Ferini-Strambi L, Ferri R, Plazzi G, Zucconi M, Inoue Y, Iranzo A, Santamaria J, Bassetti C, Möller JC, Boeve BF, Lai YY, Pavlova M, Saper C, Schmidt P, Siegel JM, Singer C, St Louis E, Videnovic A, Oertel W. Rapid eye movement sleep behavior disorder: devising controlled active treatment studies for symptomatic and neuroprotective therapy—a consensus statement from the International Rapid Eye Movement Sleep Behavior Disorder Study Group. *Sleep Med* 14(8), 795-806, 2013.
11. Garcia-Borreguero D, Kohnen R, Silber MH, Winkelmann JW, Earley CJ, Hoegl B, Manconi M, Montplaisir J, Inoue Y, Allen RP. The long-term treatment of restless legs syndrome/Willis-Ekbom disease: evidence-based guidelines and clinical consensus best practice guidance: a report from the International Restless Legs Syndrome Study Group. *Sleep Med* 14(7), 675-684, 2013.
12. Kobayashi M, Namba K, Tsuiki S, Nakamura M, Hayashi M, Mieno Y, Imizu H, Fujita S, Yoshikawa A, Sakakibara H, Inoue Y. Validity of sheet-type portable monitoring device for screening obstructive sleep apnea syndrome. *Sleep Breath* 17(2), 589-595, 2013.
13. Asaoka S, Aritake S, Komada Y, Ozaki A, Odagiri Y, Inoue S, Shimomitsu T, Inoue Y. Factors associated with shift work disorder in nurses working with rapid-rotation schedules in Japan: the nurses' sleep health project. *Chronobiol Int* 30(4), 628-636, 2013.
14. Nakamura M, Sugimura T, Nishida S, Komada Y, Inoue Y. Is nocturnal panic a distinct disease category? Comparison of clinical characteristics among patients with primary nocturnal panic, daytime panic, and coexistence of nocturnal and daytime panic. *J Clin Sleep Med* 9(5), 461-467, 2013.
15. Nomura T, Inoue Y, Kobayashi M, Namba K, Nakashima K. Characteristics of obstructive sleep apnea in patients with Parkinson's disease. *J Neurol Sci* 327(1-2), 22-24, 2013.

16. Nishida S, Hitsumoto A, Namba K, Usui A, Inoue Y. Persistence of secondary restless legs syndrome in a phantom limb caused by end-stage renal disease. *Intern Med* 52(7), 815-818, 2013.
17. Naruse Y, Tada H, Satoh M, Yanagihara M, Tsuneoka H, Hirata Y, Ito Y, Kuroki K, Machino T, Yamasaki H, Igarashi M, Sekiguchi Y, Sato A, Aonuma K. Concomitant obstructive sleep apnea increases the recurrence of atrial fibrillation following radiofrequency catheter ablation of atrial fibrillation: clinical impact of continuous positive airway pressure therapy. *Heart Rhythm* 10(3), 331-337, 2013.
18. Nomura T, Inoue Y, Nakashima K. Differences in rapid eye movement sleep behavior disorder manifestation between synucleinopathies and tauopathies. *Sleep Biol Rhythms* 11(Suppl 1), 82-87, 2013.
19. Nomura T, Inoue Y, Kagimura T, Nakashima K. Clinical significance of REM sleep behavior disorder in Parkinson's disease. *Sleep Med* 14(2), 131-135, 2013.
20. Sasai T, Matsuura M, Inoue Y. Factors associated with the effect of pramipexole on symptoms of idiopathic REM sleep behavior disorder. *Parkinsonism Relat Disord* 19(2), 153-157, 2013.
21. Usui Y, Takata Y, Inoue Y, Tomiyama H, Kurohane S, Hashimura Y, Kato K, Saruhara H, Asano K, Shiina K, Yamashina A. Severe obstructive sleep apnea impairs left ventricular diastolic function in non-obese men. *Sleep Med*, 14(2) 155-159, 2013.
22. Miyagawa T, Kawamura H, Obuchi M, Ikesaki A, Ozaki A, Tokunaga K, Inoue Y, Honda M. Effects of oral L-carnitine administration in narcolepsy patients: a randomized, double-blind, cross-over and placebo-controlled trial. *PLoS One* 8(1), e53707, 2013.
23. Inoue Y, Hirata K, Hayashida K, Hattori N, Tomida T, Garcia-Borreguero D; Rotigotine Study Group. Efficacy, safety and risk of augmentation of rotigotine for treating restless legs syndrome. *Prog Neuro psychopharmacol Biol Psychiatry* 40, 326-333, 2013.
24. Inoue Y, Hirata K, Uchimura N, Kuroda K, Hattori N, Takeuchi M. Gabapentin enacarbil in Japanese patients with restless legs syndrome: a 12-week, randomized, double-blind, placebo-controlled, parallel-group study. *Curr Med Res Opin* 29(1), 13-21, 2013.

【和文】

1. 小林美奈, 加藤一成, 鍵村達夫, 井上雄一: レストレスレッグス症候群 (RLS)の重症度評価における日本語版 IRLS ver2.2 の信頼性および妥当性の検討. 睡眠医療 7(1), 100-105, 2013.

【総説】

1. Komada Y, Asaoka S, Abe T, Inoue Y. Short sleep duration, sleep disorders, and traffic accidents. IATSS Research 37(1), 1-7, 2013.
2. Inoue Y. History of the researches on rapid eye movement sleep behavior disorder in Japan. Sleep Biol Rhythms 11(1), 1-5, 2013.
3. 井上雄一: 生活習慣病と睡眠障害. 予防医学ジャーナル 473, 4-19, 2013.
4. 井上雄一: 睡眠障害と自動車の運転免許をめぐって. 日本精神科病院協会雑誌 32(11), 40-46, 2013.
5. 笹井妙子, 井上雄一: レム睡眠行動障害の診断と治療. 老年医学 51(11), 1171-1177, 2013.
6. 駒田陽子, 西田慎吾, 井上雄一: 睡眠関連摂食障害. 日本臨床 71(増 5), 472-475, 2013.
7. 井上雄一: 覚醒促進薬. 日本臨床 71(増 5), 225-232, 2013.
8. 井上雄一: 睡眠障害と司法. 日本臨床 71(増 5), 67-73, 2013.
9. 井上雄一: 睡眠と自律神経・内分泌・免疫系の関係. 皮膚の科学 12(20), 31-36, 2013.
10. 笹井妙子, 井上雄一: 高齢者のレム睡眠行動障害. 日本臨床 71(10), 1853-1857, 2013.
11. 高江洲義和, 井上雄一: うつと睡眠. 調剤と情報「うつ病パーフェクトガイド」 19(増), 24-25, 2013.
12. 高江洲義和, 井上雄一: 睡眠とうつ. 調剤と情報「うつ病パーフェクトガイド」 19(増), 62-68, 2013.
13. 中島 俊, 井上雄一: 不眠関連尺度. 睡眠医療 7(3), 391-395, 2013.
14. 井上雄一: 不眠の病態・診断と心身機能への影響. 東京都医師会雑誌 66(8), 29-36, 2013.
15. 井上雄一: 認知症と睡眠・概日リズムの変化. 老年医学 51(8), 846-849, 2013.
16. 青木昭子, 葦沢龍人, 井上雄一: 外来患者の depression の評価. 神経内科 79(1), 120-128, 2013.
17. 井上雄一: エスゾピクロンの国内エビデンス. クリニシャン 60(6), 75-81, 2013.

18. 駒田陽子, 西田慎吾, 井上雄一: 睡眠関連摂食障害の病態・診断と対応. 日本医事新報 4645, 53-57, 2013.
19. 高江洲義和, 井上雄一: 最新薬物療法新規睡眠薬 Eszopiclone. 最新精神医学 18(3), 249-255, 2013.
20. 井上雄一: メラトニン・メラトニンアゴニストによる降圧作用. 月刊循環器 3(4), 123-126, 2013.
21. 井上雄一, Garcia-Borreguero Diego, 平田幸一: レストレスレッグス症候群の診断と治療. 睡眠医療 7(1), 91-98, 2013.
22. 松井健太郎, 井上雄一: レストレスレッグス症候群の薬物治療ー現状と今後の展望ー. 睡眠医療 7(1), 83-90, 2013.
23. 井上雄一: 高齢者における不眠治療の課題ーメラトニン受容体アゴニスト, ラメルテオンの可能性ー. Progress in medicine 33(3), 491-494, 2013.
24. 井上雄一: 睡眠時無呼吸症候群の診断・治療の流れ. メディカルサイエンスダイジェスト 39(2), 60-61, 2013.
25. 西田慎吾, 井上雄一: レストレスレッグス症候群と睡眠障害. 臨床神経科学 31(2), 224-227, 2013.
26. 井上雄一: 睡眠診療の普及のために. 内科 111(2), 194-197, 2013.
27. 井上雄一, 平田幸一, 内山 真, 伊藤 洋: 内科診療と睡眠専門医病棟間の連携のあり方. 内科 111(2), 317-326, 2013.
28. 駒田陽子, 井上雄一: 子どもの発達と睡眠障害. 内科 111(2), 301-305, 2013.
29. 高江洲義和, 井上雄一: Eszopiclone のうつ病に伴う不眠への効果. 精神科 22(2), 191-196.

【その他: 症例報告】

1. Nishida S, Hitsumoto A, Namba K, Usui A, Inoue Y. Persistence of secondary restless legs syndrome in a phantom limb caused by end-stage renal disease. Intern Med 52(7), 815-818, 2013.
2. 岡島 義, 碓氷 章, 井上雄一: 不規則睡眠ー覚醒型概日リズム睡眠障害に対する光治療と認知行動療法の試み. 睡眠医療 (8)2, 240-243, 2013.

【著書】

1. 井上雄一: ナルコレプシーと睡眠覚醒障害. 今日の処方改訂第5版 633-636, 南江堂 2013.
2. 井上雄一: 催眠・鎮静薬. 精神・神経の治療薬事典 2014-2015 157-159, 総合医学社 2013.

3. 中村真樹: ラメルテオン. 精神・神経の治療薬事典 2014-2015 190-191, 総合医学社 2013.
4. 井上雄一: 睡眠障害で眠れない夜の不安をみるみる解消する 200%の基本ワザ 日東書院本社 2013.